

SACRAMENTO DISTRICT INSTRUCTIONS TO:
CEGS-02592

PART 1 GENERAL

Sandblasting Equipment - Add the following to the end of

The nozzle or nozzles shall have an adjustable guide that will hold the nozzles aligned with the joint about 1 inch above the pavement surface. The height, angle of inclination and size of the nozzles shall be adjusted as necessary to obtain satisfactory results. Sand of proper size and quality shall be used in the sandblasting operation.

Justification for District change (Construction Quality Control)

Types IV-M, Cold-Applied Sealant Equipment - Delete "-M" from paragraph title.

Type IV-H, Cold Applied Sealant Equipment - Delete entire paragraph.

Justification for District changes (This guide is intended for use with large jobs only. Hand held equipment for mixing is deleted as an option. The district has had problems in the past regarding hand mixing equipment.)

SAMPLING AND TESTING - Line 2, Third sentence, replace with the following:

[Joint sealants will be sampled by the Contractor and tested by the Government.

Justification for District change (Construction Quality Control)

Line 17 - After "manufacturer's instructions" add the following:

Additional samples may be taken during application of the sealant at the discretion of the Contracting Officer and tested by the Government. If any sample fails to meet specification requirements, the material represented by the sample shall be replaced, and the new material shall be tested. The cost of

sampling and testing the new material will be deducted from payments due the Contractor.

Line 20 - After "in-place sealant." add the following:

(see Paragraph: FINAL ACCEPTANCE).

SUBMITTALS - Add the following sentence to beginning of paragraph:

Samples of each lot of joint sealant, to be used when Government tested, shall be delivered to the Contracting Officer no later than 40 days prior to their use in the pavement.

PART 2 PRODUCTS

Type IV Sealant - Line 1, Delete "[Type H]".

Justification for District changes (This guide is intended for use with large jobs only. Hand held equipment for mixing is deleted as an option. The district has had problems in the past regarding hand mixing equipment.)

PART 3 EXECUTION

Sandblast Cleaning - Delete Note (I).

Justification for District change (Already stated in PART 1 GENERAL, paragraph Sandblasting Equipment)

Type IV-M, Cold Applied - Delete "-M".

Type IV-H, Cold Applied - Delete entire paragraph.

Justification for District changes (This guide is intended for use with large jobs only. Hand held equipment for mixing is deleted as an option. The district has had problems in the past regarding hand mixing equipment.)

Time of Application - Delete last sentence and replace with the following:

When rain interrupts sealing operations, joints shall be recleaned prior to installing sealants.

Sealing Joints - Line 8, After IV delete "-M".

Justification for District changes (This guide is intended for use with large jobs only. Hand held equipment for mixing is deleted as an option. The district has had problems in the past regarding hand mixing equipment.)

Sealant Inspection - Delete last sentence

Justification for District change (Construction Quality Control)

Delete NOTE I.

Justification for District change (Already stated in PART 1 GENERAL, paragraph Sandblasting Equipment)